ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 7			
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/ORDE					/CALL NO.	(YYYYMMMDD)	YYYYMMMDD)		JISITION/PURCH REQUEST NO.		5. PRIORITY	
DAAE20-02-G-0009 BR1E  6. ISSUED BY CODE W56HZV					7. ADMINIST	2003OCT23 SEE SCHEDULE  NISTERED BY (If other than 6) CODE S			2305A	DOA4 8. DELIVERY FOB		
TACOM WARREN BLDG 231 AMSTA-AQ-AHPB DEBORAH ROTH (586)754-8055 WARREN, MICHIGAN 48397-5000 EMAIL: ROTHD@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL						U.S (' ATT: WAR	DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000					DESTINATION  X OTHER (See Schedule if
9. CONTR	ACTOR			CODE	7W356	SCD: A FACIL			ELIVER TO F	37	other) 11. X IF BUSINESS IS	
	•					-	•	(Y	YYYYMMMDI	<b>D</b> )		SMALL
			OYNAMICS LAND SY JND ROAD	YSTEMS I	INC.			SEE	SCHEDULE		SMALL	
NAME AND ADDRESS	STERLI		HEIGHTS, MI. 48	3310-326	50	12. DISCOUNT TERMS						DISADVANTAGED WOMAN-OWNED
	_						_	13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
	TYPE B	BUSI	INESS: Large Bus	siness F	erforming	g in U.S.	•	See	Block 15	5		
14. SHIP 7	го			CODE		-	T WILL BE MADE	BY		COD	E HQ0337	MARK ALL
SEE SCHEDULE						DFA P.O	DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266					PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	CALL THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOV									NDITIONS OF ABOV	E NUMBERED CONTRACT.	
OF ORDER	PURCHASE		Reference your	Oral			s specified herein.					
				E CONTRA	CTOR HEREF	BY ACCEPTS T	HE OFFER REPRE			MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNATURE  If this box is marked, supplier must sign Acceptance and return the following number of copies:									SIGNED MMMIDD)			
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE  SEE SCHEDULE												
18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE						20. QUANTIT ORDERED/ ACCEPTED*	Y	21. UNIT	22. UNIT PRICE	23. AMOUNT		
	SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price  KIND OF CONTRACT:											
* TO			ly Contracts and			AMEDICA					25. TOTAL	¢100 00
* If quantity accepted by the Government is same as quantity ordered, indicate by X.  24. UNITED STATES OF AMERICA  DARYL F. WITTE /STATES OF AMERICA						WITTE /SI		-7196			26.	\$100.00
If different, enter actual quantity accepted below quantity ordered and encircle.  WITTED@TACOM. ARMY. MIL (586)574-7196  DIFFERENCE CONTRACTING/ORDERING OFFICER								DIFFERENCES				
	NTITY IN COLU			ACCEPTEL	) AND CONEC	ORMS TO CON	TRACT EXCEPT A	S NOTE	n			
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							c. DATE					
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					VE	28. SHIP. NO.	28. SHIP. NO. 29. I		29. D.O. VOUCHER NO.			
						<u> </u>	32. PAID BY			33. AMOUNT V	ERIFIED CORRECT FOR	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						FINAL						
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT	,			34. CHECK NUMBER		
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER					$\dashv \vdash \vdash$	COMPLETE  35. BILL OF LADING NO.			ADING NO.			
(YYYYMMMDD)						FINAL	FINAL					
37. RECEIVED AT  38. RECEIVED BY (Print)  39. DATE RECEIVED (YYYYMMMDD)  40. TOTAL CONTAINERS  41. S/R ACCOUNT NUMBER 42. S/R VOUCHER					ER NO.							

## Reference No. of Document Being Continued

MOD/AMD

PIIN/SIIN DAAE20-02-G-0009/BR1E

Page 2 of 7

Name of Offeror or Contractor: General Dynamics Land Systems inc.

SUPPLEMENTAL INFORMATION

1. THE INSPECTION, ACCEPTANCE AND FOB ADDRESS FOR CONTRACT DAAE20-02-G-009, DO BRIE IS AS FOLLOWS:

GDLS/IMPERIAL VALLEY OPERATIONS 450 AETEN ROAD IMPERIAL, CALIFORNIA 92251

2. THE NEGOTIATED PRICE FOR THIS D.O. IS ACCEPTABLE PER 13 OCT 2003 E-MAIL MESSAGE FROM MS. MARY JUNGA (GDLS) (REFERENCE: GDLS PROPOSAL #P-2377, DATED 13 OCT 2003).

\*\*\* END OF NARRATIVE A 001 \*\*\*

**CONTINUATION SHEET** 

# Reference No. of Document Being Continued PIIN/SIIN DAAE20-02-G-0009/BR1E MOD/AMD

**Page** 3 **of** 7

Name of Offeror or Contractor: General dynamics land systems inc.

		QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 6150-01-458-4847 FSCM: 81349 PART NR: M83413/8-A16AC SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	20	EA	\$5.00000	\$100.00
	NOUN: ELECTRICAL LEAD PRON: EH3A2273EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance           DOC         SUPPL           REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           001         W56HZV3163S855         W90454         J         1           DEL REL CD         QUANTITY         DEL DATE           001         20         05-APR-2004				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS  (W90454) XR W4GG HQ US ARMY TACOM  TEAM ABRAMS PARTNERSHIP FACILITY  WHSE BLDG 88037 LOGISTICS LANE  FT HOOD TX 76544-5060				
	CONTRACT/DELIVERY ORDER NUMBER DAAE20-02-G-0009/BR1E				

CONTINUATION SHEET				Refer	Page 4 of 7					
	CONTIN	UATION	SHEET	PIIN/SIIN DAAE20-02-G-0009/BR1E			MOD/AMD			
Name of Offeror or Contractor: General dynamics land systems inc.										•
CONTRAC	T ADMINISTRA	TION DATA								
	PRON/						JOB			
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT
0001AA	EH3A2273EH	AA 2	97 X4930A	C6D 6D	26FB	S20113		W56HZV	\$	100.00
	070011									
								TOTAL	\$	100.00
SERVICE							ACCOU	NTING		OBLIGATED
NAME	TOTA	L BY ACRN	ACCOUNTING	CLASSIFICATION			STATIO	ON		AMOUNT
Army		AA	97 X4930A	C6D 6D	26FB	S20113	W56HZ	V	\$ _	100.00
								TOTAL	\$	100.00

## **CONTINUATION SHEET**

#### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR1E

MOD/AMD

**Page** 5 **of** 7

Name of Offeror or Contractor: General Dynamics Land Systems inc.

CONTRACT CLAUSES

Regulatory Cite Title Date

52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) MAY/2002
(TACOM)

(a) The preservation, packing, and marking requirements for this order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
  - (1) The quantity is over one (1) gross of the same national stock number,
  - (2) Use enhances handling and inventorying,
  - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
  - (4) The unit pack is less than 64 cubic inches,
  - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

#### (e) Packing:

- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

**CONTINUATION SHEET** 

### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-02-G-0009/BR1E

MOD/AMD

Page 6 of 7

Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.

#### (g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl\_irrd/msl\_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (h) Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
  - (k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of Clause]

2 52.246-4005 INSPECTION AND ACCEPTANCE POINTS: ORIGIN (TACOM)

FEB/1995

- (a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN
  - (b) Origin inspection shall take place at the site specified below:

GDLS/IMPERIAL VALLEY OPERATIONS 450 AETEN ROAD IMPERIAL, CALIFORNIA 92251

c. FOB POINT: ORIGIN

CONTINUATION SHEET	Reference No. of Document Being	Page 7 of 7						
CONTINUATION SHEET	PHN/SHN DAAE20-02-G-0009/BR1E	MOD/AMD						
Name of Offeror or Contractor: GENERAL DYNAMICS LAND SYSTEMS INC.								

[End of Clause]